

# Tylö Hydro-Steam and Showers



PRODUCT CATALOGUE 1

**TYLÖ**<sup>®</sup>

# Shower with success



There's something more satisfying about bathing with Tylö technology. More comfort, more convenience, more quality of life than a conventional shower or bathtub can offer. Not that there's anything wrong with other showers and baths, of course. But with Tylö you can transform your bathroom into a *real bathing heaven*. Experience a world of water and steam where you can sit back and unwind as you enjoy a relaxing steam bath or invigorating water therapy – on your own, or with someone you like to share your happiest moments with in our two-seater bathing cabinet.



Start slowly, for example, with a gentle cascade of water. Then press again to enjoy the sensation of a heavy tropical cloudburst. Follow up with a delightful steam bath, cosseted in clouds of soothing steam perfumed with a hint of aromatic herbs.

And, for the grand finale, a few moments of invigorating body massage – just what's needed to wake you from your daydreams and make you realise you can't sit here enjoying yourself all day. Because, even though you'll be reluctant to admit it, there is a world beyond the pleasant haven of Tylö's bathing machines.



## Unique feature on all Tylö shower doors

The wheels on your shower door are subjected to more wear and tear than any other part. Their quality is crucial for a long service life. With that in mind, Tylö has invested considerable time and effort in designing and engineering a special bogie construction, using only the very finest materials available.


The ball-bearing mounted, stainless steel wheels and soft-suspension bogie truck are integrated into a die-cast, chrome-plated metal housing, discreetly incorporated into the door profile. Thanks to this truly first-class solution, the doors open and close smoothly and silently every time. A simple "click-fit" construction enables you to remove the door for convenient cleaning etc.

## Create your own unique shower


Tylö Parant Center has flexibility built into the profiles – a unique construction that lets you create a customised shower for yourself. Here you can see just a few of the many possibilities this opens up. Tylö showers are as versatile as your imagination. You have the ideas. Tylö has the solutions!




Tylö Parant Center, art. no. 8900 9102  
Wall 70 (2x), natural, art. no. 8900 0340  
SP linking profile (2x), natural, art. no. 9022 8115



Tylö Parant Center, art. no. 8900 9102  
Wall 100, natural, art. no. 8900 0360  
UP 20 filler profile (2x), natural, art. no. 9022 8135  
SP linking profile (2x), natural, art. no. 9022 8115



Tylö Parant Center (2x), art. no. 8900 9102  
Wall 50, natural, art. no. 8900 0337  
UP 20 filler profile (2x), natural, art. no. 9022 8135  
KP combi-profile (2x), natural, art. no. 9022 8125



Tylö Parant Center, walls and other supplementary profiles, are 190 cm high.



Tylö Parant Center (2x), art. no. 8900 9102  
SP linking profile (2x), natural, art. no. 9022 8115

# NEW!

## Tylette Solo



The very latest addition to the Tylette family of Hydro-steam' cabinets is specially designed to fit into small spaces. Tylette Solo takes up no more room than a standard bathtub. That makes it the ideal solution when you're renovating your bathroom because Tylette Solo packs more features and more style into the same space.

*Tylette Solo gives you everything!*

Relaxing vapour baths amid clouds of soothing steam: You can even scent the air with invigorating fragrances if you wish. Cascades of water. Tropical cloudbursts. Water massage. Sophisticated bathing functions that provide you with all kinds of options for stimulating water therapy.

The door and front are manufactured of tempered safety glass in a framework of natural anodised aluminium profiles. The roof and other walls are made from special high-tech, vacuum-formed plastic. And the cabinet comes complete with a comfortable integral seat, recessed halogen lighting above the ceiling shower and handy compartments both inside and out.

The integral steam generator has automatic water-filling, emptying and flushing functions. Exclusive chrome-plated thermostat mixer, seven water-jet nozzles and a shower set with adjustable sprinkler head all come as standard. The sliding door glides to and fro with just a whisper on its rugged, roller-bearing, soft-suspension wheels, providing an access width of 46 cm from the right or left-hand side, as you wish.

*Colours:* White or marble-patterned plastic sections.

*Size:* 159 x 77 cm, height 203 cm.

*Size with tray:* 160 x 80 cm, height 217 cm.

*Optional accessories:* Floor tray in white with integral out-flow and water trap.

You can place Tylette Solo in a corner, a recess, or use it as a free-standing cabinet in your existing bathroom. Connection to electricity (10A or 20A), water supply and wastewater. The steam generator is switchable between 2.2 and 4.5 kW, 230 V~ or 400 V2N~.


Minimum water pressure: 2.5 bar. Minimum drainage capacity 50 litres per minute.



Solo Marmor



Solo White, art. no. 9605 3500  
Solo Marble, art. no. 9605 3600



\* *Integral steam generator*

# Tylette Mono

Bathing technology that combines a steam bath with cascading waterfalls, tropical cloudbursts, invigorating water massage and gentle showers. Door, front and one side wall in tempered safety glass with natural anodised aluminium profiles. Roof and other wall sections in vacuum-formed special plastic. The cabinet has a comfortable integral seat, recessed halogen lighting, handy soap compartments and a decorative mirror panel. The built-in steam generator has automatic water filling, emptying and flushing functions. Complete with built-in fragrance dispenser, 8 jet nozzles, exclusive thermostatically controlled mixer and shower set with adjustable sprinkler head. All visible plumbing fittings have a chrome-plated finish.

*Colour options:* White or marble-patterned plastic sections.

*Door options:* Hinged door with a 55 cm wide opening or sliding door (46 cm opening). The sliding door runs on roller-bearing, soft-suspension wheels for smooth, silent operation. Both doors can be fitted to provide access from the right-hand or left-hand side.

*Size:* 127 x 87 cm, height 199 cm.



*Size with tray:* 128 x 90 cm, height 213 cm.

*Optional extras:* Shower tray in white with integral wastepipe and water trap.

Place the cabinet in an existing corner and connect to electricity (min. 10 A), water supply and drainage. The steam generator is convertible between 2.2 and 4.5 kW, 230 V~ or 400 V2N~. Minimum water pressure: 2.5 bars. Minimum run-off rate: 50 litres/minute.

**Mono Basic.** The same cabinet in a simpler version without waterfall, tropical rain, water massage and lighting. Otherwise identical to the description above.

- Mono White – Hinged door, art. no. 9605 4000
- Mono Marble – Hinged door, art. no. 9605 4300
- Mono White – Sliding door, art. no. 9605 4004
- Mono Marble – Sliding door, art. no. 9605 4304
- Mono Basic White – Hinged door, art. no. 9605 4003
- Mono Basic Marble – Hinged door, art. no. 9605 4303
- Mono Basic White – Sliding door, art. no. 9605 4005
- Mono Basic Marble – Sliding door, art. no. 9605 4305
- Suitable shower tray, art. no. 9605 4010



\* Built-in steam generator



Mono White with sliding door



Mono Marble with hinged door (and optional shower tray)

# Tylette Duo

Bathing technology that combines a steam bath with cascading waterfalls, tropical cloudbursts, invigorating water massage and gentle showers. Door, front and one side wall in tempered safety glass with natural anodised aluminium profiles. Roof and other wall sections in vacuum-formed special plastic. Fittings comprise two comfortable integral seats, recessed halogen lighting, handy soap compartments and a decorative mirror panel. The built-in steam generator has automatic water filling, emptying and flushing functions. Tylette Duo comes complete with a built-in fragrance dispenser, 8 jet nozzles, exclusive thermostatically controlled mixer and shower set with adjustable sprinkler head. All visible plumbing fittings have a chrome-plated finish.

*Colour options:* White or marble-patterned plastic sections.

*Door options:* Hinged door with a 55 cm wide opening or sliding door (58 cm opening). The sliding door runs on roller-bearing, soft-suspension wheels for smooth, silent operation. Both doors can be fitted to provide access from the right-hand or left-hand side.

*Size:* 152 x 125 cm, height 199 cm.



*Size with tray:* 153 x 128 cm, height 213 cm.

*Optional extras:* Shower tray in white with integral wastepipe and water trap.

Place the cabinet in an existing corner and connect to electricity (min. 10 A), water supply and drainage. The steam generator is convertible between 2.2 and 4.5 kW, 230 V~ or 400 V2N~. Minimum water pressure: 2.5 bars. Minimum run-off rate: 50 litres/minute.

**Duo Basic.** The same cabinet in a simpler version without waterfall, tropical rain, water massage and lighting. Otherwise identical to the description above.

- Duo White – Hinged door, art. no. 9605 4020
- Duo Marble – Hinged door, art. no. 9605 4320
- Duo White – Sliding door, art. no. 9605 4024
- Duo Marble – Sliding door, art. no. 9605 4324
- Duo Basic White – Hinged door, art. no. 9605 4023
- Duo Basic Marble – Hinged door, art. no. 9605 4323
- Duo Basic White – Sliding door, art. no. 9605 4025
- Duo Basic Marble – Sliding door, art. no. 9605 4325
- Suitable shower tray, art. no. 9605 4012



\* Built-in steam generator



Duo Marble with sliding door



Duo White with hinged door (and optional shower tray)

# Tylette Sector

Bathing technology that combines steam baths with cascading waterfalls, tropical cloudbursts, invigorating massage and gentle showers. Tylette Sector has a curved sliding door and front in transparent tempered safety glass with aluminium profiles. The doors runs on roller-bearing, soft-suspension wheels for smooth, silent operation and can be fitted to provide right or left-hand access (opening width: 60 cm). Walls, roof section and shower tray in vacuum-formed special plastic. The cabinet has an integrated seat, shower tray, halogen lighting, handy soap compartments and decorative mirror section. Built-in steam generator (2.2 kW, 230 V~) with automatic water filling, emptying and flushing functions. There is also a built-in fragrance dispenser, 12 jet nozzles, exclusive thermostatically controlled mixer and shower set with adjustable sprinkler head.

*Colour options:* White lacquered profiles, white trim and white plastic sections, or natural anodised profiles, chrome-plated trim and marble-patterned plastic sections.

*Size:* 90 x 90 cm, height 217 cm.


Place the cabinet in an existing corner and connect to electricity (min. 10 A), water supply and drainage.

Minimum water pressure: 2.5 bars.

Minimum run-off rate: 50 litres/minute.

**Sector Basic.** The same cabinet in a simpler version without waterfall, tropical rain, water massage and lighting. Otherwise identical to the description above.

Sector White, art. no. 9605 3700  
Sector Marble, art. no. 9605 3600  
Sector Basic White, art. no. 9605 3710  
Sector Basic Marble, art. no. 9605 3610



\* Built-in steam generator



Sector White



Sector Marble



# Opal

A shower cabinet with a curved sliding door and front in tempered safety glass with aluminium profiles.

The door runs on roller-bearing, soft-suspension wheels for smooth, silent operation, has magnetic strips for a tight seal and can be fitted to provide right or left-hand access (opening width: 60 cm). Walls and shower tray in vacuum-formed special plastic. Opal is designed for comfort with an integrated seat, handy soap compartments and decorative mirror sections. 6 jet nozzles for body massage, exclusive thermostatically controlled mixer and shower set with sprinkler head that adjusts from gentle spray to an invigorating massage. Opal can also be transformed into a steam bath. Just add a roof section and steam generator.


*Colour options:* White lacquered profiles, white trim and white plastic sections, or natural anodised profiles, chrome-plated trim and marble-patterned plastic sections.

*Size:* 90 x 90 cm, height 203 cm.

*Optional extras:* Domed roof OP, separate steam generator and control panel, if required.

*Alternative:* Sector Basic, see page 5.

Opal White, art. no. 8900 3000  
Opal Marble, art. no. 8900 3100



Opal White




# Parant and Parant Centre

Corner shower with a curved sliding door and front in transparent, tempered safety glass with aluminium profiles. The door runs on roller-bearing, soft-suspension wheels for smooth, silent operation and has magnetic strips for reliable, watertight closing. Parant is a space-saving design with flexible wall profiles to offer you greater versatility when installing your shower. See the sketches below.

*Colour options:* White lacquered or natural anodised profiles.  
*Size:* Adjusts to any size between 82 x 82 cm and 92 x 92 cm.  
*Parant:* Height 185 cm. Access opening (60 cm) on right or left side.  
*Parant Centre:* Height 190 cm. Access opening (43 cm) on front.

Parant White, art. no. 8900 9000  
Parant Natural, art. no. 8900 9100  
Parant Centre White, art. no. 8900 9002  
Parant Centre Natural, art. no. 8900 9102



Parant Natural

# Oaz 90 Body

Shower cabinet with water massage and gentle/intensive shower. Walls and push-and-glide door in tempered safety glass with aluminium profiles. The door runs smoothly and silently on soft-suspension, roller-bearing wheels and has magnetic strips for a tight seal. Choose right or left-hand access (opening width: 69 cm). The moulded shower tray has an anti-slip surface and adjustable feet and comes with wastepipe and water trap. The service module in white, vacuum-formed special plastic houses 6 jet nozzles, soap compartments, exclusive thermostatically controlled mixer and shower set with adjustable sprinkler head. All visible plumbing fittings have a chrome-plated finish. Oaz can also be transformed into a steam bath. Just add a roof section and a suitable steam generator.

*Colour options:* White lacquered profiles with door and two side walls in patterned safety glass, or natural anodised profiles with door and one side wall in plain, transparent safety glass, the other in white, vacuum-formed special plastic.

*Size:* 86 x 90 cm. Height is adjustable 201-203 cm.

*Optional extras:* Domed roof 90, separate steam generator.

Oaz 90 Body White, art. no. 8900 3210  
Oaz 90 Body Natural, art. no. 8900 3310




Oaz 90 Body Natural

## Oaz 90

The same shower cabinet in a simpler version, without the jet nozzles for body massage. Otherwise identical to the description above.

Oaz 90 White, art. no. 8900 3200  
Oaz 90 Natural, art. no. 8900 3300



Oaz 90 White



Corner 80 Natural



Door 80 White

## Corner 80

Corner shower with push-and-glide door and side wall in tempered safety glass with aluminium profiles. The door runs smoothly and silently on soft-suspension, roller-bearing wheels and has magnetic strips for a tight seal. Opening width: 69 cm.


Corner 80 shower cabinets can also be used for steam bathing. Just add a roof section and steam generator.

*Colour options:* White lacquered aluminium profiles and patterned safety glass, or natural anodised profiles and plain, transparent safety glass.

*Size:* 80 x 84 cm, height 187 cm.

*Optional extras:* Roof dome C 80, steam generator, filler profile UP 20.

Corner 80 White, art. no. 8900 9010  
 Corner 80 Natural, art. no. 8900 9110



## Door 80

Push-and-glide door for wall-to-wall installations with soft-suspension, roller-bearing wheels and magnetic strips for a tight seal. Opening width: 69 cm. Can be hung to open for left or right-hand access. The door is supplied with a UP 20 filler profile which allows you to extend the width by up to 20 cm.


This shower is also suitable for use as a steam bath. Just add a roof dome and steam generator.

*Colour options:* White lacquered aluminium profiles and patterned safety glass, or natural anodised profiles and plain, transparent safety glass.

*Size:* Width 78 - 98 cm, height 187 cm.

*Optional extras:* Roof dome, steam generator.

Door 80 White, art. no. 8900 0151  
 Door 80 Natural, art. no. 8900 0051



# Door 110-170

Shower door for wall-to-wall installations, or as part of a corner shower in conjunction with the wall section below.

The door has soft-suspension, roller-bearing wheels and magnetic strips for a tight seal. Can be hung to open for left or right-hand access. Can be sawn to the desired width or extended by using a filler profile.

To turn this shower area into a steam bath, just add a roof dome and steam generator.

*Colour options:* White lacquered aluminium profiles and patterned safety glass, or natural anodised profiles and plain, transparent safety glass.

*Size:* Width 110, 130, 150 or 170 cm, height 190 cm.

*Optional extras:* Roof dome, steam generator.

Door 110 White, art. no. 8900 0155. Door 110 Natural, art. no. 8900 0055.  
Door 130 White, art. no. 8900 0160. Door 130 Natural, art. no. 8900 0060.  
Door 150 White, art. no. 8900 0170. Door 150 Natural, art. no. 8900 0070.  
Door 170 White, art. no. 8900 0180. Door 170 Natural, art. no. 8900 0080.



Door 130 White


# Wall 70-100

Fixed side wall for corner installations together with the shower door above.

*Colour options:* White lacquered aluminium profiles and patterned safety glass, or natural anodised profiles and plain, transparent safety glass.

*Size:* Width 70, 90 or 100 cm, height 190 cm.

Wall 70 White, art. no. 8900 0440. Wall 70 Natural, art. no. 8900 0340.  
Wall 90 White, art. no. 8900 0450. Wall 90 Natural, art. no. 8900 0350.  
Wall 100 White, art. no. 8900 0460. Wall 100 Natural, art. no. 8900 0360.



Door 130 + Wall 90 Natural

# Tylux

Shower column in vacuum-formed special plastic with chrome-plated trim. 4 jet nozzles for water massage, sprinkler head and overhead shower that adjusts from a gentle spray to an intensive shower. Integral, thermostatic mixer and spacious shelf compartments. Install in a corner or on a wall approx. 50 cm above the floor.

*Colour options:* White or marble-patterned.

*Size:* 165 x 33 cm.

*Other details:* When fitting a shower column in a shower with a roof dome, always choose Tylux Seat below.

Tylux White, art. no. 8900 8000. Tylux Marble, art. no. 8900 8015.

# Tylux Seat

Shower column with integrated seat. Manufactured in vacuum-formed special plastic with spacious soap compartments and chrome-plated trim. Integral, thermostatic mixer which can be switched to provide a cascading waterfall effect or sprinkler head function, that adjusts from a gentle spray to an intensive shower. Install free-standing on the floor, against a wall or in a corner.

*Colour options:* White or marble-patterned.

*Size:* 187 x 40 cm, depth 27 cm.

Tylux Seat White, art. no. 8900 8001. Tylux Seat Marble, art. no. 8900 8016.

# Tylö hinged doors

– Extra sturdy design for demanding environments.

Manufactured from 6 mm smoked, tempered safety glass with naturally anodised aluminium frame and handles. Stainless steel protective edging round the door leaf and magnetic strips for a tight seal. Drip strip and air vent at the base of the door. The door can be hung to open left or right. *Optional extra:* Automatic, hydraulic door shutting device.

**Steam Door 60 G:** Outer dimensions 187 x 78 x 6 cm, opening width 67 cm. Art. no. 9091 1000.

**Steam Door 6000:** as above, but with frame and handles in gold-anodised aluminium. Art. no. 9091 1015.

**Steam Door 50 G:** tempered clear glass with concealed hinges. Outer dimensions 185.5 x 63.5 x 4.3 cm, opening width 55 cm. Art. no. 9091 1010.

**Steam Door 99 G:** Outer dimensions 187 x 99 x 6 cm. Specially designed for wheelchair access with no threshold and extra wide opening 88 cm. Art. no. 9091 1020.

**Steam Door 99 V:** as above, but with curved frame. Please specify hinges on right or left-hand side. Art. no. 9091 1030.



Tylux White

Tylux Seat Marble



60 G

6000

50 G



99 G

99 V

# Equipment for steam bath



## Steam generator Tylö VB

Shall be connected to water and electricity supplies. It can be located up to 15 metres from the steam room. Tylö VB has acid-resistant elements, self-cleaning calcium-repellent electrodes and a stainless steel water reservoir which is emptied and flushed automatically after each steam bath.

**Tylö 2/4 VB:** switchable 2.2-4.5 kW, 230 V~ or 400 V 2N~. Min./max. volume light wall (glass etc) 2.5 - 5.5 cu.m., heavy wall (tiles etc) 1.5 - 3.5 cu.m. Art. no. 6600 1820.

**Tylö 6 VB:** switchable 1-/3-phase, 6.6 kW. Min./max. volume light wall 4 - 15 cu.m., heavy wall 2.5 - 8 cu.m. Art. no. 6600 1830.

*Electronic control panels for Tylö VB*



**CC 10-3 S:** Max. 3 hours bathing time, 0-10 hours pre-set. Light diodes indicate the temperature setting and time on a scale from 1 to 10. Art. no. 7500 4000.

**CC 50:** Switchable for 3 or 12 hours bathing time, 0-10 hours pre-set. Equipped with display for temperature and pre-set, security code, memory function etc. Art. no. 7101 4005.



## Roof dome

Height 15 cm. Can be cut to length and width. Requires assembly profiles, see below.

Type of dome	Size (cm)	Art. no.
Dome 70-110	66.5 x 109 *	8911 0392
Dome 70-130	66.5 x 129 *	8911 0396
Dome 70-150	66.5 x 149 *	8911 0400
Dome 70-170	66.5 x 169 *	8911 0410
Dome 90-110	86.5 x 109 *	8911 0420
Dome 90-130	86.5 x 129 *	8911 0430
Dome 90-150	86.5 x 149 *	8911 0440
Dome 90-170	86.5 x 169 *	8911 0450
Dome 100-110	96.5 x 109 *	8911 0460
Dome 100-130	96.5 x 129 *	8911 0470
Dome 100-150	96.5 x 149 *	8911 0480
Dome 100-170	96.5 x 169 *	8911 0490
Dome 90	For Oaz 90 **	8911 0500
Dome C 80	For Corner 80 **	8911 0510
Dome OP	For Opal **	8911 0520
TK-Special 2	Max. length 2 m	8911 0140
TK-Special 4	Up to 4 m <sup>2</sup>	8911 0150

\* Assembly profiles required, see below.

\*\* Including assembly profiles.



## Steam Jet

Steam nozzle with integral dispenser for aromatic essences. Fits on steam pipe. Install on wall without seating.

Art. no. 9002 9200.



## Complete shower set

**DS,** standard shower head. Art. no. 9021 5060.

**DS-E,** massage shower, adjustable to any level from gentle shower to intensive massage. Art. no. 9021 5050.



## Thermostat mixer

**TB-D** – twin grip mixer for connection to visible pipes on the wall. Art. no. 9021 5015.

**TB-R** – for connection to concealed pipes in the wall. Art. no. 9021 5010.

## Assembly profiles

Aluminium, for the domes above.

**Profile set H** for corner assemblies.

White art. no. 8912 0020. Natural art. no. 8912 0120.

**Profile set N** for wall-to-wall assemblies.

White art. no. 8912 0030. Natural art. no. 8912 0130.

**Profile set S** for door and walls.

White art. no. 8912 0040. Natural art. no. 8912 0140.

## Special profiles

Aluminium, length 200 cm.

**U-profile** for door/wall.

White art. no. 8912 0050. Natural art. no. 8912 0150.

**F-profile** for existing (fixed) wall.

White art. no. 8912 0060. Natural art. no. 8912 0160.

**Corner joint** for U-profiles.

White art. no. 8912 0070. Natural art. no. 8912 0170.



## Filler profiles

Aluminium filler strips.

**UPH** – to extend the size of the shower's constructional elements or when plumbing is surface-mounted on the wall. Size: 55 mm. Suitable for all walls and doors in showers and steam baths.

White art. no. 9022 8100. Natural art. no. 9022 8105.

**SP** – linking strip for connecting several walls or doors in a straight line.


White art. no. 9022 8110. Natural art. no. 9022 8115.

**KP** – for linking walls/doors in a T-shape.

White art. no. 9022 8120. Natural art. no. 9022 8125.

**UP 20** – plastic extension profile, increases width by up to 20 cm. Size: 190 x 22 x 1.8 cm. Can be cut to size.

White art. no. 9022 8130. Natural art. no. 9022 8135.



*Order more information!*

You will find full details of the latest Tylö products in the following catalogues:

- Tylö Sauna Heaters and Accessories
- Tylö Sauna Rooms
- Tylö Steam Bath Programme
- Tylö Massage baths

Tylö catalogues are available free of charge from Tylö agents: electrical retailers, sanitaryware dealers, home improvement centres and bathroom and sauna specialists close to you. You can also order them direct from Tylö.

Manufactured by Tylö AB  
Svarvaregatan 6, SE-302 50 Halmstad, Sweden  
Tel: +46 35 10 00 80, Fax: +46 35 10 25 80  
e-mail: [info@tylo.se](mailto:info@tylo.se)  
website: [www.tylo.com](http://www.tylo.com)

**TYLÖ®**

© The contents of this publication may not be reproduced in part or in whole without written permission from Tylö. Tylö reserves the right to amend specifications to materials, construction and design.  
01.04